


Desktop Power Units

- Fits for 60mm to 80mm standard grommets cutout
- Ideal for home, cafes, restaurants, hotels and offices
- Suitable for charging mobiles, tablets & laptop (USB-C, 30W or below power)
- Quick charge technology up to 75% faster than conventional USB charging
- Full fitting instructions for simple installation
- Available with black and white casing

Pop-up 3 in 1 Quick Charge **NEW** Wireless and Dual USB Charger

- Wireless Quick Charger up to 10W
- Wireless Charge Efficiency: >75%
- Effective charging distance: 2~5m
- USB-A & C quick charger 
- USB-A port supports QC3.0
- USB-C port supports QC3.0 & PD
- Output max. 20V 30W

3 in 1
Quick Charge




↑ Pop-up



R60-PQWAC



R60-PQWAC

Pop-up Wireless Charge and USB Quick Charger




R60-PWACQ



R60-PWACQ




R60-PWAAQ

Single
Quick Charge




↑ Pop-up

- Wireless Quick Charger up to 5V 1A
- Wireless Charge Efficiency: >75%
- Effective charging distance: 2~5m
- USB-A + USB-A or USB-C quick charger 
- USB-A port supports QC3.0
- USB-C port supports QC3.0 & PD
- Output max. 12V 20W




Desktop Power Socket and USB Quick Charger

- 13A BS socket outlet
 - USB-A or USB-C quick charger 
 - USB-A port supports QC3.0
 - USB-C port supports QC3.0 & PD
 - Fits for 60mm to 80mm standard grommets cutout
 - Suitable for charging mobiles, tablets and laptop (Type-C, 30W or below power)
- Designed with power socket, USB port and cable entry hole all-in-one



Waterproof Lid IP44 NEW

R80 series



R60 series





R60-GMAC (metal)



R60-GPAC (plastic)

- USB-A + USB-C charger port
 - Output max. 5V 4A 20W
 - Fit for 60mm or 80mm standard grommet outlet
- Designed with large cable entry hole

Desktop USB Grommet with USB A & C Charger



R60-GMAC (metal)

Desktop Power Station

Desktop Socket with Dual USB Charger Power Station **NEW**

- 1 x 13A BS socket
- 2 x USB Charger port
- Waterproof cover

IP44



- USB-A + USB-C quick charger 
- USB-A port supports QC3.0
- USB-C port supports QC3.0 & PD

IP54 Waterproof Pop Up Sockets IP54



DUS2BS-QAC-SN

- 2 x 13A BS socket
- Dual USB-A&C Quick charger 4000mA
- Die Cast Top Cover
- IP54 Waterproof
- Dimension : Ø100 x 256(H) mm

- 3 x 13A BS socket
- Dual USB-A&C Quick charger 4000mA
- Die Cast Top Cover
- IP54 Waterproof
- Dimension : Ø100 x 332(H) mm



DUS3BS-QAC-BN



DUS2BS-BW2U-SN

- 2 x 13A BS socket
- Dual USB-A Charger 2400mA
- Bluetooth audio speaker
- Die Cast Top Cover
- IP54 Waterproof
- Dimension : Ø100 x 366(H) mm




- 2 x 13A BS socket
- Dual USB-A Charger 2400mA
- Reinforced plastic top cover
- IP54 Waterproof
- Dimension : Ø100 x 284(H) mm

PUS2BS-2U-BK



Metal die cast top cover



Plastic top cover



* Moduler design, available in different combination upon request.



Slimline Power Station **NEW**

Surface mount - DCU series





Desktop Power Station with Linkable Strip Light



Panel Power Station

Recessed mount - DCR series **NEW**

- 2 x BS sockets
- On/off switch
- USB-A & C Quick Charger 
- Bluetooth audio speaker 
- * Modular design available with different combination



DCR2BS-BWQAC









Socket types :



- * Modular design available with different combination
- National standard household power socket
- Special design in high quality flame retardant Nylon housing
- Modules available : Sockets, USB charger, Bluetooth audio, Surge protector, RJ45 Ethernet socket, LED spotlight and LED strip light.
- Modular design can be freely combined on requested
- Ideal for kitchen, offices and hotels.

USB Modular :

 USB Charger (USB - A / A)	 USB Charger (USB- A / A)	 USB Quick Charger (USB - A / A) 	 USB Quick Charger (USB - A / C) 
Dual USB Charger Output : Total Max. DC 5.0V, 2.4A, 12.0W	Dual USB Charger Output : Total Max. DC 5.0V, 4.0A, 20.0W	Type-A support : QC 3.0 Quick Charge Type-C support : QC 3.0 and PD Quick Charge USB Quick Charging status : DC 5.0V, 3.0A, 15.0W / DC 9.0V, 2.0A, 18.0W / DC 12.0V, 1.5A, 18.0W Dual USB Quick Charging status : DC 5V, 4.0A, 20.0W	


*Quick charge technology up to 75% faster than conventional USB charging

Mini Popup USB Charger



- Retractable hidden compact design
- Ideal for home, cafes, restaurants, hotels and offices
- Suitable for charging mobiles, tablets and laptop (USB-C, 30W or below power)
- Quick charge technology up to 75% faster than conventional USB charging
- Full fitting instructions for simple installation
- Decorative finishing, stainless steel, chrome, brass, black nickel, matt black and matt white

PU4000QAC


- Dual USB quick charger 
- USB-A port supports QC3.0
- USB-C port supports QC3.0 & PD
- Output max. 20V 30W



NEW

Dual Quick Charge



↑ Pop-up




NEW

Dual Quick Charge



PU3100QAA

- Dual USB-A quick charger 
- USB-A port supports QC3.0
- Output max. 12V 18W



Single Quick Charge



PU3100AQ

- Single USB-A quick charger 
- USB-A port supports QC2.0
- Output max. 12V 18W



PU2400D

- Dual USB-A charger
- Output max. 5V 12W
- Available with 12V version



see®
switches

We are the Switch and Socket Experts

See Switches Ltd.

86-90 Paul St, London EC2A 4NE
website : www.seeswitches.co.uk email : info@seeswitches.co.uk



ISO 9001 : 2008
Certificate No. : FM 85977